



Image not found or type unknown









BRAND	PipingRock
PRODUCT	Trace Mineral
ITEM NO.	31542
PACKAGING LOT NO. *	503966
PACKAGING DATE	2023-09-13



*Typical Certificate of Analysis for this product - your lot number and date may differ

 **WEIGHT** Image not found or type unknown

Weight  **PASS** Image not found or type unknown

 **INGREDIENT TESTING** Image not found or type unknown






Ingredients	Label Claim	Result
Iodine	50mcg	 PASS <small>Image not found or type unknown</small>
Zinc	11mg	 PASS <small>Image not found or type unknown</small>
Selenium	55mcg	 PASS <small>Image not found or type unknown</small>
Copper	0.9mg	 PASS <small>Image not found or type unknown</small>
Manganese	2.3mg	 PASS <small>Image not found or type unknown</small>
Chromium	35mcg	 PASS <small>Image not found or type unknown</small>
Molybdenum	45mcg	 PASS <small>Image not found or type unknown</small>
Boron	1mg	 PASS <small>Image not found or type unknown</small>



SUPERIOR QUALITY GUARANTEED

Image not found or type unknown



	Limits	Result
Yeast & Mold	$\leq 10^2$ cfu/g	 PASS
Total Plate Count	$\leq 10^3$ cfu/g	 PASS
E. coli	Negative	 PASS
S. aureus	Negative	 PASS
Salmonella spp	Negative	 PASS